



**Notes:**

1. All sheet edges shall line through and be supported by a framing member.
2. Sheet joints must NOT coincide with joinery unless a control joint is to be formed.
3. 2-3mm gap at joints between sheets.
4. Locate any interstorey joints as per board manufacturers specifications.
5. Stagger sheet joints to interstorey level.

**Flashings:**

- Horizontal "h", "Z" or uPVC flashing at inter-storey junctions.
- 8mm Vertical Control joints @5400mm centres max.
- 12mm Inter-storey expansion joints as required and in internal corners.

© 2019 Petros Holdings Ltd

 <p>61 Hillside Rd, Wairau Valley Auckland 0627 New Zealand www.mineralplaster.co.nz Ph: 0800 25 23 678</p>	<p><b>MPT Fibreclad System</b> Wall - Sheet Layout</p>	Reference: MPT_F084
		Date: June 2019
		Scale: 1 : 50 @ A4
		Revision: 2

TERMS OF USE Disclaimer: This information is intended solely as a guide for use of MPT products. Before using you should ensure that the product is suitable for use in the specific application. Nothing in this information constitutes a statement of fitness for particular purpose and appropriate expert advice is to always be obtained. Petros Holdings Ltd makes no warranty regarding the use of this information. This drawing is the property of Petros Holdings Ltd. It must not be copied in any form except for the purpose of specifying the use of MPT products in construction projects.